

HikCentral FocSign V2.1.0

HikCentral FocSign is a lightweight platform with multiple functions, featuring diverse content types, predefined program templates, abundant material types, flexible layout design, integrated device management, etc. It can satisfy the needs of a variety of scenarios, such as commercial advertising, device integrated control and remote maintenance.

Key Features

Rich Content Creation

- Intuitive and user-friendly interface
- Various types of materials, including video, image, TXT, Word, audio, webpage, etc., making programs more creative and attractive

Convenient Program Management

- Quick, batch publishing of ready-made programs
- Flexible program schedule settings: Loop, play by date, week, or custom time period, or set as default program

Easy Terminal Configuration

- Setting brightness, password, and other parameters remotely
- Configuring terminals to start up, shut down, and volume on or off on a daily or weekly basis

Centralized Terminal Control

- Creating command groups and running them on multiple devices at once
- Installing applications on multiple devices


Specification

Module		Capability
Device	Digital Signage Terminals	256
	Interactive Flat Panels	128
	Video Walls	64
	pStors	4
	Streaming Media Servers	64
System	Roles	32
	Users	32
	Concurrent Accesses via Client	16
Resource	Areas	512
	Display Screens	256
Digital Signage	Materials	10,000
	Programs	2,000
	Pages of One Content	32
	Windows of One Content	1,024
	Windows on One Page	128
	Picture Windows	32
	Document Windows	16
	Video / Live Video Windows	4
	Webpage Windows	2
	Text Windows	128
	Clock	1
	Countdown Timer	1
	Materials in One Window	256
	Schedules	1,000
	Cut-In Programs	10,000
	Cut-In Texts	10,000
	Release Records	20,000
Commercial Display	Manageable Applications	512
	Devices (Flat Panels Usage Statistics)	128
	Combined Control Command	500
	Devices (Playing Statistics)	128

System Requirement

Items	Requirements
Operating System	Microsoft® Windows 7 SP1 (64-bit) Microsoft® Windows 8.1 (64-bit) Microsoft® Windows 10 (64-bit) Microsoft® Windows Server 2008 R2 SP1 (64-bit) Microsoft® Windows Server 2012 (64-bit) Microsoft® Windows Server 2012 R2 (64-bit) Microsoft® Windows Server 2016 (64-bit) Microsoft® Windows Server 2019 (64-bit) *For Windows 8.1 and Windows Server 2012 R2, make sure it is updated to KB2919355 in April, 2014.
CPU	Intel® Core™ i5-8500 @ 3.00 GHz
RAM	8 GB and above
NIC	GbE Network Interface Card
Graphics	SATA-II 7200 RPM Enterprise Class HDD
HDD	512 GB and above
Browser	Internet Explorer V11 and above Chrome V61 and above Firefox V57 and above Safari V11 and above (running on Mac OS X 10.3/10.4)

Typical Application



Headquarters

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
www.hikvision.com



Follow us on social media to get the latest product and solution information.



Hikvision



HikvisionHQ



HikvisionHQ



Hikvision_Global



Hikvision
Corporate Channel



hikvisionhq